

INDEX MAPS.

T. 29N, R. 9 E. 2nd Mer.

	6	6	6	5	5	5						
8	6	31	5	25	4	21	3	17	2	16	1	4
	31		30		25		21		16-17		16	
8	7	30	8	24	9	20	10	15	11	12	12	4
	30		29		24		20		15		11	
8	18	29	17	24	16	20	15	15	14	11	13	4
	28		29		23		19		14		11	
7	19	28	20	23	21	19	22	14	23	10	24	3
	28		27		22		19		13		10	
7	30	27	29	22	28	18	27	13	26	10	25	3
	26		26		22		18		12		9	
7	31	26	32	21	33	17	34	12	35	9	36	3
	2		2		2		1		1		1	

T. 30N, R. 9 E. 2nd Mer.

	40	40	39	39	39	38					
43	6	66	5	60	4	56	3	53	2	48	1 38
	66	65		60		56		52		47	
43	7	65	8	60	9	56	10	52	11	47	12 38
	64	64		59		55		52		46	
42	18	64	17	59	16	55	15	51	14	46	13 37
	64	63		59		55		51		46	
42	19	63	20	58	21	54	22	50	23	45	24 37
	63	62		58		54		50		45	
42	30	62	29	58	28	54	27	49	26	44	25 37
	62	61		57		54		49		44	
41	31	61	32	57	33	53	34	48	35	44	36 36
	36	36		35		35		35		35	

Meanders 66

Meanders 66

(P) The figures on the lines refer to the page.

Township No 29 North of Range No 9 East 2nd Mer. Indiana

South Boundary

Note On South Boundary of Sec. 36. var 6° 15 E.
 35. 25 A S. Ash 17 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Sycamore 40 in. diam. bears N. 86 E. 27 lks. dist. &
 a Hickory 13 " " " N. 14 W. 37 " "
 61. 32 A Maple 21 " "
 80. 00 Set a Post cor. to Sec. 35 & 36 from which
 a Beech 15 in. diam. bears N. 66 E. 51 lks. dist. &
 a Do 22 " " " N. 37 W. 20 " "
 Land level & 2nd rate. Timber. Oak. Hickory
 Ironwood. Dogwood. &c

Note On South Boundary of Sec 35.
 29. 52 A Beech 12 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Beech 12 in. diam. bears N. 56 E. 25 lks. dist. &
 a Hickory 21 " " " N. 17 W. 5 " "
 53. 29 A W. Oak 24 " "
 80. 00 Set a Post cor. to Sec. 34 & 35 from which
 a Beech 21 in. diam. bears N. 44 E. 15 lks. dist. &
 a Do 6 " " " N. 34 W. 23 " "
 Land &c same

Note On South Boundary of Sec 34
 22. 95 A Beech 20 in. diam.
 40. 00 Set a gr. Sec. post from which
 an Elm 12 in. diam. bears N. 44 E. 15 lks. dist. &
 a Do — " " " N. 44 W. 18 " "
 49. 75 A W. Oak 12 in. diam.
 80. 00 Set a Post cor. to Sec. 33 & 34 from which
 an Ash 12 in. diam. bears N. 56 W. 9 lks. dist. &
 an Ironwood 6 in. " " N. 53 E. 28 " "
 Land level 2nd rate. Timber. Ash Beech
 Elm. &c Undergrowth. Spice &c.

T. 29 N. R. 9 E. 2nd Mer. Indiana

Note On South Boundary of Sec 33
 18. 50 A Swamp Ash 30 in. diam.
 40. 00 Set a gr. Sec. post. from which
 a B. Oak 7 in. diam. bears S 8 E 10 links dist &
 a Do 6 " " " N 16 E 26 " "
 59. 00 An Ash 14 " "
 80. 00 Set a Post cor. to Sec. 32 & 33 from which
 a Dogwood 7 in. diam. bears S. 70 E 17 lks. dist &
 an Elm 10 " " " N 12 W 14 " "
 Land level 2nd rate. Timber. Ash. Sugar. Elm
 Beech & Undergrowth Spice.

Note On South Boundary of Sec 32
 12. 00 A Beech 20 in. diam.
 40. 00 Set a gr. Sec. post. from which
 a Buckeye 6 in. diam. bears N. 9 E. 7 links dist &
 a W. Walnut 6 " " " S. 72 W. 13 " "
 52. 50 A Sycamore 18 " "
 53. 00 A Creek 40 links wide. Course S. Rapid
 58. 00 Same 40 " " " N W. "
 65. 00 Same 40 " " " South
 80. 00 Set a Post Cor. to Sec. 31 & 32 from which
 a Beech 24 in. diam. bears West 6 links dist &
 a W. Oak 24 " " " N. 76 E 36 " "
 Land hilly 2nd rate. Timber. Oak. Beech
 Sycamore. & Undergrowth Spice

Note On Random On South Boundary of Sec. 31
 40. 00 Set a 1/2 in. gr. Sec. post
 43. 50 A Stream 6 links wide. Course. South
 74. 10 Intersect the West Boundary 69 links North
 of the Post.
 Land level 2nd rate. Timber Beech
 Oak & Hickory.

Note Corrected On South Boundary of Sec. 31

T. G. N. R. G. E. 2nd Mer. Indiana 3

34. 10 Set post on true line for q. Sec. from which
a Sugar 20 in. diam. bears N. 70 E. 6 links dist. &
a Buck 6 " " " S 50 W 20 " "

74. 10 To Sec. Corner

The Town Corner is 25 links North of Temp.
6 mile post where
a Buck 13 in. diam. bears N. 38 E. 26 links dist. &
a Co 12 " " " N 75 W 75 " "

East Boundary

North On East Boundary of Sec 30 var. 6. 15. 20

31. 24 A Hickory 12 in. diam.

40. 00 Set a q. Sec. post from which
a Hickory 14 in. diam. bears S 20 W 35 links dist. &
a Co 14 " " " N 7 W 59 " "

61. 27 An Elm 12 " "

80. 00 Set a post Cor. to Sec. 25 & 36 from which
an R. Oak 30 in. diam. bears S 25 W 11 links dist. &
an Ironwood 6 " " " N 21 W 4 " "

Land not described

North On East Boundary of Sec 25

12. 46 A Stream 12 links wide, Course East

30. 96 A B. Ash 40 in. diam.

40. 00 Set a q. Sec. post from which
a Hickory 15 in. diam. bears S 40 W 21 links dist. &
a Buck 12 " " " N 18 W 27 " "

60. 51 A B. Ash 15 " "

80. 00 Set a Post cor. to Sec. 24 & 25 from which
a Buck 9 in. diam. bears S. 16 W 23 links dist. &
a Co 10 " " " N. 67 W 29 " "

Land not described

North On East Boundary of Sec 34

0 40 A Stream 20 links wide, Course East

27. 10 Co 20 " " " N E.

T 99 N. R. 9. E. 2nd Mer Indiana.

33. 61 A Beech 8 in. diam.
 40. 00 Set a q. Sec. post from which
 a Sugar 4 in. diam. bears S. 87° W. 25 links dist. &
 a Buckeye 5 " " " N. 70° W. 5 " "
 64. 62 A Chycamore 12 in. diam.
 80. 00 Set a Post cor. to Sec. 13 & 24 from which
 a B. Ash 4 in. diam. bears S. 25° W. 16 links dist. &
 an Ironwood 6 " " " N. 7° W. 30 " "
 Land not described

- North On East Boundary of Sec 13
 29. 48 A Beech 12 in. diam.
 40. 00 Set a q. Sec. post from which
 a Burr Oak 6 in. diam. bears S. 86° W. 28 lks. dist. &
 a B. Ash 10 " " " N. 10° W. 18 " "
 60. 16 A Beech 8 " "
 80. 00 Set a Post cor. to Sec. 12 & 13 from which
 a Beech 18 in. diam. bears S. 15° W. 61 lks. dist. &
 a Do 22 " " " N. 63° W. 16 " "
 Land not described

- North On East Boundary of Sec 12
 36. 51 A Beech 13 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 14 in. diam. bears S. 31° W. 27 links dist. &
 a Do 14 " " " N. 15° W. 15 " "
 70. 00 A Beech 20 " "
 80. 00 Set a post Cor. to Sec. 1 & 12 from which
 a Burr Oak 14 in. diam. bears S. 8° W. 35 lks. dist. &
 an Elm 6 " " " N. 67° W. 18 " "
 Land not described

Nov. 6th 1829

- North On East Boundary of Sec 1
 24. 04 A Lyrn 8 in. diam.
 40. 00 Set a q. Sec. post from which

T 29 N R 9 E 2nd Mer. Indiana

- a Beech 8 in. diam. bears S. 65 N. 19 links dist. &
 a Do 20 " " " N. 80 W. 29 " "
 60. 20 A Beech 23 in. diam.
 80. 00 Set Temp. Iron Corner.
 Land 2nd rate. Timber. Beech. Sugar. & Oak.
 Undergth. Ironwood & Spice.

North Boundary

- West On South Boundary of Sec 35. T 30 N R 9 E
 25. 95 A Beech 13 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Beech 4 in. diam. bears N. 9 W. 13 links dist. &
 a Do 5 " " " N. 84 E. 42 " "
 47. 04 A Beech 22 in. diam.
 80. 00 Set a Post cor. to Sec. 35 & 36 from which
 a Burr Oak 10 in. diam. bears N. 21 W. 20 links dist. &
 a Lym 6 " " " N. 16 E. 25 " "
 Land not described

- West On South Boundary of Sec 35. T 30 N R 9 E
 14. 10 A B. Walnut, 14 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Beech 15 in. diam. bears N 63 E 27 links dist. &
 a Do 12 " " " N 85 W 28 " "
 58. 45 A Beech 10 " "
 80. 00 Set a Post cor. to Sec. 34 & 35 from which
 an Ironwood 5 in. diam. bears N 56 E 13 links dist. &
 a Burr Oak 13 " " " N 72 W 36 " "
 Land not described

- West On South Boundary of Sec 34 T 30 N R 9 E.
 18. 03 An Elm 20 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Maple 3 in. diam. bears N. 67 W. 13 links dist. &
 a B. Ash 7 " " " N 44 E 36 " "
 53. 17 A Poplar 26 in. diam.

T 29 N R 9 E 3rd Mer. Indiana.

80. 00 Set a Post cor. to Secs. 33 & 34 from which
 a Birch 12 in. diam. bears N. 51 E. 18 links dist. &
 a Co 18 " " " N. 79 W. 11 " "
 Sand &c not described.

Note On South Boundary of Sec 33 T 30 N R 9 E.
 13. 25 A Sugar 16 in. diam.

40. 00 Set a g. Sec. post from which
 a B. Ash 6 in. diam. bears N. 72 W. 15 links dist. &
 a Sugar 14 " " " N. 64 E. 25 " "

53. 31 A Sugar 15 " "

62. 10 A Brook 15 links wide. Course S E.

80. 00 Set a Post cor. to Secs. 32 & 33 from which
 a Hickory 10 in. diam. bears N. 71 W. 31 links dist. &
 a Sugar 10 " " " N. 15 E. 28 " "
 Sand not described

Note On South Boundary of Sec 32 T 30 N R 9 E.
 14. 64 A B Ash 24 in. diam.

40. 00 Set a g. Sec. post from which
 a Birch 22 in. diam. bears N. 65 W. 5 links dist. &
 a Sugar 7 " " " N. 26 E. 7 " "

52. 63 A Birch 10 " "

80. 00 Set a Post cor. to Secs. 31 & 32 from which
 a B. Ash 13 in. diam. bears N. 43 W. 28 links dist. &
 a Co 26 " " " N. 23 E. 11 " "
 Sand &c not described

Note On South Boundary of Sec. 31 T 30 N R 9 E.
 13. 06 S. Ash 14 in. diam.

40 00 Set a g. Sec. post from which
 an Elm 12 in. diam. bears N. 66 W. 16 links dist. &
 a S. Ash 10 " " " N. 77 E. 17 " "

53 20 A Sugar 14 " "

77. 00 Intersect the Range line 70 links North of the Post
 Set a Post cor. to Towns 29 & 30 N. R. 8 & 9 East also

7

T29 N R9 E. 2nd Mer. Indiana

cor. to Sec. 1. 6. 31 & 36 from which
 a Beech 12 in. diam. bears N 42 W 25 links dist. &
 a Lynn 13 " " " N 54 E 19 " "
 Land not described.

Nov. 18th 1829

West Boundary var. 6°-10' E.

North On East Boundary of Sec 36 T29 N R8 E
 21. 74 A Sugar. 11 in. diam.
 29. 87 A W Oak 40 " "
 40. 00 Set a q. Sec. post from which
 a Beech 15 in. diam. bears S 36 W 24 links dist. &
 a Co 17 " " " N 19 W 36 " "
 59. 94 A Beech 17 " "
 80. 00 Set a Post cor. to Sec. 25 & 36 from which
 an Ironwood 7 in. diam. bears S 19 W 41 links dist. &
 a Buckeye 16 " " " N 11 W 43 " "
 Land level & 2nd rate. Timber. S. Ash. Beech
 Oak. P. Ash. & Spice.

North On East Boundary of Sec 25 T29 N R8 E
 19. 95 A Stream 35 links wide. Course N. E.
 29. 35 Co 15 " " " S. E.
 31. 26 An Ironwood 7 " "
 40. 00 Set a q. Sec. post from which
 a Beech 23 in. diam. bears S 43 W 41 links dist. &
 a Co 12 " " " N 44 W 36 " "
 61. 97 A Cherry 18 " "
 66. 07 A Stream 25 links wide. Course S. E.
 80. 00 Set a Post cor. to Sec. 24 & 25 from which
 a Burr. Oak 30 in. diam. bears S 30 W 61 links dist. &
 a Sycamore 36 " " " N 40 W 20 " "
 Land the same.

North On East Boundary of Sec 24 T29 N R8 E
 21. 40 A Lynn 10 in. diam.

T 29 N. R. 9 E. 3rd Mer Indiana

40.00 Set a gr. Sec post from which
 a B Ash 12 in. diam. bears S 10 W 71 lks dist &
 an Elm 10 " " " S 27 W 20 " "
 59.22 A Beech 22 " "
 50.00 Set a gr. Sec. post for the cor. of 13 & 24 from which
 a Beech 18 in. diam. bears S 11 W 32 links dist &
 a Co 18 " " " S 21 W 35 " "
 Land & same

North On East Boundary of Sec 13 T 29 N R 8 E.
 4.00 To Swamp.
 10.07 Left same
 17.52 A B. Ash 9 in. diam.
 40.00 Set a gr. Sec post from which
 a Sugar 12 in. diam. bears S 84 W 18 links dist &
 a Beech 6 " " " S 11 W 19 " "
 06.25 A Beech 20 " "
 80.00 Set a Post cor. to Sec. 12 & 13 from which
 a Maple 10 in. diam. bears S 25 W 23 lks dist &
 a W. Walnut 12 " " " S 11 W 7 " "
 Land & same

North On East Boundary of Sec 12 T 29 N R 8 E
 27.25 A Buckeye 14 in. diam.
 40.00 Set a gr. Sec. post from which
 a Beech 20 in. diam. bears S 45 W 47 lks. dist &
 an Elm 5 " " " S 41 W 27 " "
 63.46 A Beech 16 in. diam.
 80.00 Set a Post cor. to Sec. 1. & 12 from which
 a Beech 20 in. diam. bears S 57 W 7 links dist &
 a Co 13 " " " S 85 W 35 " "
 Land & same

North On East Boundary of Sec 1. T 29 N R 8 E
 33.63 A Cottonwood 30 in. diam.
 40.00 Set a gr. Sec post from which

T 29 N. R 9 E. 2nd Mer. Indiana

9

an Ironwood 4 in. diam. bears S 45 W 21 links dist &
a Beech 30 " " " N 31 W 29 " "

61, 70 A Beech 24 " "

80, 00 Set a Temp. Iron Corner

Land level & 2nd rate. Timber S. Ash. Beech & Oak.

Underg. P. Ash. Ironwood & Spice.

Nov 9th 1829

Surveyed by
David Hillis. C.S.

Subdivisions.

North Between Sec. 35 & 36

7. 69 A Beech 30 in. diam.

40. 00 Set a gr. Sec. post from which

an Elm 24 in. diam. bears N. 42 W 30 links dist &

a Blk. Oak 40 " " " N 79 E 3 " "

40. 00 To Pond

47. 00 Left same

59. 15 A B. Oak 40 in. diam.

80 00 Set a Post cor. to Sec. 25 26 35 & 36 from which

an Ash 12 in. diam. bears N. 50 W 20 links dist &

a Hickory 5 " " " N. 44 E 3 " "

Land level. soil 3rd rate Timber. Beech. Ash.

Elm, &c.

East On Random between Sec. 25 & 36

40. 00 Set a Temp. gr. Sec. post

80 75 Intersect the East Boundary 1 chain and 50
links South of the Post

Land level & 3rd rate. Timber Beech. Elm &c

Underg. P. Ash

West Corrected between Sec. 25 & 36

40 37 Set a gr. Sec. post at aver. dist from which

an Ash 10 in. diam. bears S 45 W 16 links dist &

an Oak 30 " " " N. 23 W 26 " "

T 29 N R 9 E 2nd Mer. Indiana.

80 75 To Sec. corner.

Apr. 23. 1828 -

North Between Sec! 25 & 26

5. 81 An Ash 18 in! diam.

12. 00 Enter Pond

15. 00 Left same

40. 00 Set a gr. Sec. post from which
a Dogwood 6 in! diam. bears N 45 W 24 lks. dist &
a B. Oak 48 " " " S. 35 E 10 " "

50. 30 A Beech 20 " "

80. 00 Set a Post cor. to Sec! 23, 24, 25 & 26 from which
a Beech 15 in! diam. bears N. 10 W. 14 links dist &
an Ash 12 " " " S. 15 E. 15 " "
Sand level 2nd rate. Timber Beech. Ash
Elm. &c. Undergth Spice, &c

East On Random between Sec! 24 & 25

40. 00 Set a Simp^l gr. Sec. post81. 50 Intersect the East Boundary 1. 39 links South
of the Post.Sand level 2nd rate. Timber Ash. Beech &
Undergth Spice.

Note Corrected between Sec! 24 & 25

40 75 Set a gr. Sec. post at aver. dist. from which
a Beech 12 in! diam. bears N. 77 W 16 lks. dist &
a Oak 18 " " " S 69 E 34 " "

81 50 To Sec. corner

North Between Sec! 23 & 24.

25 33 A Beech 11 in! diam.

40. 00 Set a gr. Sec. post. from which
a Poplar 6 in! diam. bears N 61 W 13 links dist &
an Ash 24 " " " S 74 E 29 " "

60. 00 An Elm 20 " "

80. 00 Set a Post cor. to Sec! 13, 14, 23 & 24 from which

11

T 29 N. R 9 E. 2nd Mer. Indiana

an Ash 13 in. diam. bears S. 70 W. 8 links dist &
 a Beech 18 " " " S. 67 E. 27 " "
 Land level 2nd rate. Timber. Ash. Beech &c.
 Undergrowth. P. Ash & Spice

East On Random between Sec. 13 & 24

40.00 Set a Temp. q. Sec. post

81.49 Intersect the East Boundary 1.40 links South of
 the Post.

Land level & 2nd rate. Timber. Ash. Beech &c.
 Undergrowth. Spice & P. Ash.

West Corrected between Sec. 13 & 24

40.74 Set a q. Sec. post at a cer. dist. from which
 a Poplar 15 in. diam. bears N. 77 W. 11 links dist &
 a Buckeye 10 " " " N. 84 E. 39 " "

89.49 To Sec. Corner.

North Between Sec. 13. 144

24.58 A Beech 12 in. diam.

40.00 Set a q. Sec. post from which
 a Beech 12 in. diam. bears S. 42 E. 11 links dist &
 a " " " " " N. 42 W. 43 " "

40.80 A Sugar 24 " "

80.00 Set a Post cor. to Sec. 11. 12. 13. 144 from which
 an Ironwood 4 in. diam. bears N. 52 E. 6 lks. dist &
 an Elm 20 " " " S. 27 W. 26 " "
 Land level 2nd rate. Timber. Elm. Beech &c.

East On Random between Sec. 12 & 13

40.00 Set a Temp. q. Sec. post

81.14 Intersect the E. Boundary 1.82 links South of
 the Post

Land level 2nd rate. Timber. Beech Elm
 Ash &c. Undergrowth. Spice. P. Ash. & Hawthorn

T 39 A. R. 9 E 2nd Mer. Indiana

West Connected between Secs. 12 & 13
 40. 57 Set a gr. Sec. post at av. dist from which
 an Ironwood - in. diam. bears South 91 lbs dist
 Post in Prairie.
 81. 14 To Sec. corner.

North Between Secs. 11. & 12
 5. 11 A B. Oak 24 in. diam.
 10. 00 Set a gr. Sec. post from which
 a Beech 12 in. diam. bears N. 60 W 30 links dist &
 a Do 6 " " " S. 33 W 12 " "
 50 50 Pond 2 ch. wide
 64. 45 An Elm 20 in. diam.
 80. 00 Set a Post cor. to Secs. 1. 2. 11 & 12 from which
 a Beech 18 in. diam. bears N 49 W 26 links dist &
 a Do 7 " " " S 38 E 5 " "
 Land level 2nd rate. Timber. Beech. Sugar.
 Ash. Elm. &c. Undergth Spice
 Apr. 24th 1828

North Between Secs. 34 & 35
 9. 80 A W. Oak 60 in. diam.
 40. 00 Set a gr. Sec. post. from which
 an Ash 15 in. diam. bears S. 50 W 6 links dist &
 a B. Oak 72 " " " N. 57 E 11 " "
 50. 25 A B. Oak 30 in. diam.
 61. 50 Pond
 63. 00 Left the Pond
 80. 00 Set a Post cor. to Secs. 26 27 34 & 35 from which
 an Elm 10 in. diam. bears S 74 E 13 links dist &
 a Do 12 " " " N. 84 W 23 " "
 Land level 2nd rate. Timber. Ash. Elm. Beech
 and P. Ash.

East On Random between Secs. 26 & 35
 40. 00 Set a Temp. gr. Sec. post

13

T 29 N. R. 9 E 2nd Mer. Indiana

80. 27 Intersect East Boundary 92 links South of the Post.
Land level 2nd rate. Timber. Ash. Oak. Beech
Elms &c. Undergth. Spice. Ash. &c.

West Connected between Sec. 26 & 35

40. 13 Set a g. Sec. post at aver. dist. from which
a Hickory 7 in. diam. bears N 6 E 11 links dist. &
a Do 7 " " " S 27 E 24 " "

80. 27 To Sec. Corner.

North Between Sec. 26 & 27

5. 25 To Pond

3. 00 Left same

9. 00 To Pond

21. 50 Left same

24. 00 An Elm 13 in. diam.

40. 00 Set a g. Sec. post from which
a Buckeye 6 in. diam. bears S. 14 E. 38 links dist. &
an Elm 5 " " " N 68 W 5 " "

64. 23 A W. Oak 30 " "

80. 00 Set a Post cor. to Sec. 22. 23. 26 & 27 from which
an Ironwood - in. diam. bears S. 32 W. 8 links dist. &
a B. Oak 18 " " " N. 64 E. 18 " "
Land level 2nd rate Timber. Beech. Elm.
Oak. Ash. &c. Undergth. Spice & Ash.

East On Random between Sec. 23 & 26

4. 05 To Swamp

10. 20 Left same

21. 00 To Swamp

30. 30 Left same

40. 00 Set a Temp. g. Sec. post

80. 25 Intersect the E. Bound. or N & S line 40 links
North of Post

Land level. 2nd rate. Timber Beech Ash &
Elm. Undergth. Ash

T 29 N R 9 E 2nd Mer. Indiana

West	Connected between Secs. 23 & 26
40. 12	Set a q. Sec. post at aver. dist. from which a Lymn 6 in. diam. bears N. 10 E 10 links dist. & a Hickory 6 " " " S 9 E 8 " "
80 25	To Sec. Corner
North	Between Secs. 22 & 23
15 04	An Elm 12 in. diam.
33. 00	Swamp
40. 00	Set a q. Sec. post An Elm 7 in. diam. is q. Sec. Cor. from which an Elm 4 in. diam. bears S 73 W 6 links dist. & 58. 27 An Elm 24 " "
80. 00	Set a Post cor. to Secs. 14. 15. 22 & 23 from which a Hickory 12 in. diam. bears S 35 E 11 links dist. & an Ash 30 " " " N 82 W 15 " " Land level 2nd rate. Timber. Ash. Beech Maple Elm. &c. Underg th . Spruce Ash. &c.
East	On Random between Secs. 14 & 23
40. 00	Set a Temp ^o q. Sec. post
44 00	Swamp
65. 00	Left same
70. 00	To Pond
75. 50	Left same
81. 00	Intersect the N & S line 26 links North of the Post Land level 2nd rate Timber. Ash Elm. & Lymn. Underg th . Ash & Willow
West	Between Secs. 14 & 23
40 50	Set a q. Sec. post at aver. dist. from which an Ash 12 in. diam. bears N. 70 W. 20 links dist. & an Oak 30 " " " N 73 E 4 " "
81. 00	To Sec. Corner

Apr. 25th 1828

15

T 29 N. R 9 E 2nd Mer. Indiana.

North Between Sec. 14 & 15
 40.00 Set a g. Sec. post from which
 a W. Oak 10 in. diam. bears N 30 E 9 links dist, &
 an Oak 3 " " " S 29 W 2 " "
 54.00 A Beech 20 " "
 80.00 Set a post cor. to Sec. 10. 11 14 & 15 from which
 a Sugar 5 in. diam. bears N 13 E 25 links dist, &
 a Buckeye 6 " " " S. 30 W. 3 " "
 Land level Quadrate. Timber. Beech Ash &c.
 Undergth Spice, Ash. &c.

East On Random between Sec. 14 & 15
 38.00 Enter Pond
 46.00 Set a Temp^{ty} g. Sec. post.
 42.00 Leave Pond.
 80.90 Intersect the A & S line 30 links North of Post,
 Land level Quadrate. Timber. Ash. Beech
 & Elm. Undergth P. Ash.

West Corrected between Sec. 11 & 14
 40.45 Set a g. Sec. post, at aver. dist, from which
 an Oak 6 in. diam. bears N. 14 E. 22 links dist
 & an Elm 24 in. " " S 13 E 10 " "
 80.90 To Sec. corner.

North Between Sec. 10 & 11
 12.00 An Ash 12 in. diam.
 40.00 Set a g. Sec. post from which
 a Cherry 4 in. diam. bears S 21 W. 21 links dist, &
 an Ironwood 6 in. " " N. 4 E. 17 " "
 15.85 A Beech 12 " "
 58.75 A Stream 20 " " S. W.
 55.50 An Ash 36 " "
 80.00 Set a Post cor. to Sec. 2. 3. 10 & 11 from which
 a Buckeye 10 in. diam. bears N 10 E. 14 links dist, &
 a Beech 6 " " " S 72 W. 15 " "

T29 N. R. 9 E 2nd Mer. Indiana

Sand level 2nd rate. Timber. Beech. Ash
 &c. Undergth Spice.

East On Random between Sec. 2 & 11.

11. 50 A Stream 15 links wide. Course SW

40. 00 Set a Temp^l q^o Sec post.

43. 00 To Pond.

45. 00 Left same

48. 50 To Pond

52. 00 Left Do.

80. 08 Intersect the N 48 line 25 links N. of the Post
 Sand level. 2nd rate. Timber. Beech. & Ash.
 Undergth Ash. & Spice.

West Connected between Sec. 12 & 1

40. 71 A Hickory 20 in. diam. is Cor. to q^o Section

81. 43 To Sec. Corner

East On Random between Sec. 1 & 12

5. 50 To Pond

15. 00 Left Do.

40. 00 Set a Temp^l q^o Sec Post.

81. 43 Intersect the N 48 Line 2 ch. & 47 links South
 of the Post.

Sand level 2nd rate. Timber. Beech & Ash.
 Undergth Ash. & Hawn

North Between Sec. 1 & 2

11. 75 A Cherry 9 in. diam.

31. 59 A W. Oak 6 " " & a Pond

37. 00 Left the Pond

40. 00 Set a q^o Sec. post from which

a Spruce 40 in. diam. bears S. 24 E. 12 links dist. 8

a Beech " " " N. 23 W. 44 " "

41. 00 To Pond

44. 00 Left the same

Comps

17

T 29 N. R 9 E. 2nd Mer Indiana

52. 00 An Ash 30 in. diam.
 78. 73 Intersect the North Boundary 498 links W of
 of the Post Set a Post cor. to Sec. 1 & 2 from which
 a Beech 18 in. diam. bears East 3 links dist &
 a Do. 14 " " " S. 70 N. 13 " "
 Land wet soil 2nd rate. Timber. Elm. Beech
 Ash. &c. Undergth Spice & Plum.

West Corrected between Sec. 2 & 11
 40. 34 Set a q. The Post as over dist from which
 a Sugar 20 in. diam. bears N. 5 W. 15 links dist &
 a Do 15 " " " S 49 E 17 " "
 80. 88 To the corner

North Between Sec. 2 & 3
 7. 00 A W. Oak 30 in. diam.
 40. 00 Set a q. Sec. post from which
 a B. Oak 4 in. diam. bears S 16 E 16 links dist &
 an Ash 10 " " " N 11 E 15 " "
 50 00 Pond
 55 00 Left Co.
 63. 00 An Elm 29 in. diam.
 77. 08 Intersect the North Boundary 5 chains W of
 of the Post. Set a Post cor. to Sec. 2. & 3
 from which
 a Beech 14 in. diam. bears N. 22 E. 13 links dist &
 a Do 10 " " " S 55 W 13 " "
 Land level 1st rate. Timber. Walnut. Ash.
 Beech. Spice. &c. Undergth Spice. Ash &c.
 Apr. 20th 1828

North Between Sec. 33 & 34
 8. 50 A W. Oak 30 in. diam.
 13. 00 To Pond
 17. 00 Left same
 40. 00 Set a q. the post from which

T 9 N R 9 E 2nd Mer. Indian

a Beech 24 in. diam. bears S. 9 E. 25 lks. dist. &
 a Do — " " " N. 42 W. 37 " "
 57.00 A Stream 10 links wide. Course West.
 65.00 A Sugar 10 in. diam.
 80.00 Set a Post cor. to Sec. 27, 28, 33 & 34 from which
 a Swamp Ash 24 in. diam. bears S. 10 E. 45 lks. dist. &
 a B. Oak 24 " " " N. 34 E. 28 " "
 Land rolling. soil 1st rate on the last 1/2 mile
 On the 1st 1/2 mile 2nd rate. Timber. Beech.
 Walnut. Ash. Sugar. & Undergth Spice.

East On Random between Sec. 27 & 34
 40.00 Set a Temp^o gr. Sec post
 76.50 To Pond
 80.25 Intersect the N & S line 10 links North of the
 Post. Left Pond.
 Land level 2nd rate. Timber Ash. Beech &
 Undergth Spice. Ash &c.

West Corrected between Sec. 27 & 34
 40.12 Set a gr. Sec post at aver. dist. from which
 a Beech 12 in. diam. bears N. 8 E. 14 lks. dist. &
 a Do 14 " " " N. 82 W. 18 " "
 80.25 To Sec corner

North Between Sec. 27 & 28
 24.50 A Beech 14 in. diam.
 40.00 Set a gr. Sec post from which
 an Elm 30 in. diam. bears N. 61 E. 07 links dist. &
 a Do 12 " " " N. 72 W. 15 " "
 50.15 A Beech 13 " "
 80.00 Set a Post cor. to Sec. 21, 22, 27 & 28 from which
 an Ash 15 in. diam. bears N. 53 E. 29 links dist. &
 a Beech 8 " " " S. 46 E. 7 " "
 Land level 2nd rate Timber Ash. Beech. &
 Undergth Spice.

19

T 29 N. R. 9. E. 2nd Mer. Indiana.

East On Random between Secs. 23 & 27

40.00 Set a Temp^o gr. Sec Post

54.50 To Pond.

56.50 Left same

80.50 Intersect the N. & S line ³⁴ 64 links South of the Post.
Land level 2nd rate. Timber. Ash. Beech. Sugar.
Undergth. Spice. &c.

West Corrected between Secs. 22 & 27

40.25 Set a gr. Sec Post at aver. dist from which
an Ash 10 in. diam. bears S. 55 W. 17 links dist, &
an Elm 4 " " " N. 73 E. 10 " "

80.50 To Sec. corner

North Between Secs. 21 & 22

0.00 A Spruce 20 in. diam.

40.00 Set a gr. Sec Post from which
a Beech 15 in. diam. bears N 62 E 5 links dist &
a Co 10 " " " N 67 W 20 " "

71.00 A Beech 12 " "

80.00 Set a Post cor. to Secs. 15. 16. 21 & 22 from which
a Beech 12 in. diam. bears S 30 E. 4 links dist &
a Co 4 " " " N. 35 W. 29 " "
Land rolling 1st rate. Timber. Walnut. Ash.
Beech. Sugar. &c. Undergth. Spice. &c.

East On Random between Secs. 15 & 22

40.00 Set a Temp^o gr. Sec Post

80.16 Intersect the N & S line 69 links E. of the Post.
Land level 2nd rate. Timber. Ash. Beech &
Sugar. Undergth. Spice.

West Corrected between Secs. 15 & 22

40.18 Set a gr. Sec Post at aver. dist from which
a Beech 6 in. diam. bears N 30 E 27 links dist &
a Co 24 " " " S. 54 W. 13 " "

T⁹ A. R⁹ Q⁹ & 3rd Mer. Indiana

80.16 To Sec. Corner.

North Between Secs. 15 & 16.

20.20 A Beech 7 in. diam.

40.00 Set a q. Sec. post from which
a Beech 15 in. diam. bears N. 17 E. 45 links dist. &
an Ironwood 4 in. " " S 32 W 4 " "

64.00 An Ash 30 " "

69.00 A Stream 6 links wide. Course S 8 W.

80.00 Set a Post cor. to Sec. 9. 10. 15 & 16 from which
a Beech 10 in. diam. bears N 56 W 7 links dist. &
a Sugar 24 " " " N. 75 E. 33 " "
Land level. Soil 1st rate. Timber Ash. Beech
Walnut. & Undergrowth. Spice. Ash.

East On Randem between Secs. 10 & 15

40.00 Set a Temp. q. Sec. post

80.35 Intersect the N & S line 15 links North of Post
Land level. 1st rate. Timber. Ash. Sugar.
Beech. Walnut. Undergrowth. Spice.Ap. 28th 1828

West Corrected between Secs. 10 & 15

40.17 Set a q. Sec. post at aver. dist. from which
a Beech 12 in. diam. bears N. 60 E. 7 links dist. &
a Sugar 15 " " " S 11 W 13 " "

80.35 To Sec. Corner

North Between Secs. 9 & 10

13.25 A Creek 20 links wide. Course W.

24.37 A Beech 24 in. diam.

40.00 Set a q. Sec. post from which
an Elm 18 in. diam. bears N. 79 E. 9 links dist. &
a ~~Be~~ 4 " " " S. 88 W. 35 " "

67.00 An Ash 36 in. diam.

80.00 Set a Post cor. to Secs. 3. 4. 9. & 10 from which

21

T 29 N. R 9 E 2nd Mer. Indiana

a Beech 12 in. diam. bears N 10 W 25 links dist &
 a Do 4 " " " S 30 E 31 " "
 Land Rolling 1st rate. Timber. Beech. Walrus
 Sugar. &c. Undergth Spice. &c.

East On Random between Sec. 3 & 10
 40. 00 Set a Temp^o of the post
 50. 50 Intersect the N & S line 71 links South of the Post
 Land level 2nd rate. Timber Ash. Beech. Sugar.
 Elm. &c. Undergth Spice. P. Ash. &c.

West Corrected between Sec. 3 & 10.
 40. 25 Set a gr. Sec. post at aver. dist. from which
 a Beech 12 in. diam. bears S 81 E 16 links dist. &
 a W. Oak 24 " " " N 81 W 14 " "
 50 50 To the corner

North Between Sec. 3 & 4
 19. 95 A Spruce 18 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Sugar 10 in. diam. bears N 22 E 4 links dist &
 a Beech 12 " " " S 12 W 25 " "
 53. 18 A B. Oak 30 " "
 77. 25 Intersect the North Boundary 5 ch. & 58 links
 West of the Post. Set a Post cor. to Sec. 3 & 4
 from which
 a Beech 6 in. diam. bears N 10 E 12 links dist &
 a Do 13 " " " S 63 W 7 " "
 Land level 2nd rate. Timber Ash. Beech. and
 Sugar. Undergth Spice.

North Between Sec. 32 & 33
 15. 50 A Beech 24 in. diam.
 40. 00 Set a gr. Sec. post from which
 a W. Oak 5 in. diam. bears S 53 E 27 links dist &
 a Buckeye 4 " " " N 70 W 6 " "

T 9 N. R 9 E 2nd Mer. Indiana.

64 25 An Ash 28 in. diam.
 77.50 A Creek 10 links wide. Course W.
 80.00 Set a Post cor. to Sec. 28. 29. 32 & 33 from which
 a Hickory 8 in. diam. bears N. 64 E. 14 links dist. &
 a Sugar 5 " " " S. 76 W. 14 " "
 Land hilly. soil 2nd rate. Timber. Buck. Sugar
 Oak. Underg. #. Spice & Ash

East On Random between Sec. 28 & 33
 40.00 Set a Temp. q. Sec. post
 80 17 Intersect the N & S line 28 links North of the Post.
 Land rolling. soil 2nd rate. Timber. Buck. Ash
 Sugar &c. Underg. #. Ash & Spice

West Corrected between Sec. 28 & 33
 40.00 Set a q. Sec. post at aver. dist. from which
 a Buck 24 in. diam. bears N. 6 W. 8 links dist. &
 an Ash 30 " " " S. 13 W. 33 " "
 80.17 To Sec. corner.

North Between Sec. 28 & 29.
 9.50 A Buck 30 in. diam.
 31.50 A Stream 7 links wide. Course West
 40.00 Set a q. Sec. post from which
 a Sugar. 20 in. diam. bears N. 63 E. 9 links dist. &
 an Elm 6 " " " S. 19 W. 17 " "
 46.50 A Creek 50 links wide. Course S. W. Current likely
 78 07 Do 45 " " " S. E.
 80 07 Set a Post cor. to Sec. 20. 21. 28 & 29. from which
 an Ash 12 in. diam. bears N. 31 W. 13 links dist. &
 a Butternut 8 in. " " S. 58 E. 5 " "
 Land rolling 1st rate. Timber. Walnut. Ash. Buck
 Sugar &c. Underg. #. Spice & Ash.

East On Random between Sec. 21 & 28
 40.00 Set a Temp. q. Sec. post

T 29 N. R. 9 E. 2nd Mer. Indiana.

North Between Sec. 16 & 17

17. 75 A W. Oak 26 in. diam.

32. 00 To Pma

37. 00 Left same

40. 00 Set a q. Sec. post from which

a W. Oak 30 in. diam. bears N 38 E 27 links dist &

an Ironwood 6 " " " N 73 W 14 " "

49. 25 A Buck 12 " "

50. 00 Set a Post cor. to Sec. 8. 9. 16 & 17 from which

a Buckeye 6 in. diam. bears S 61 E 22 lks. dist &

an Ash 5 " " " S 85 W 3 " "

Land level 2nd rate. Timber. Buck Elm, &c.Undergth. Spice & P. Ash.

East On Random between Sec. 9 & 10

18. 50 A Creek 40 links wide. Course N 89 E.

22. 50 Left the Creek on the North side

40. 00 Set a Temp. q. Sec. post

44. 50 A Creek 30 links wide. Course South

63. 50 To 15 " " " South

80. 50 Intersect the N & S line 15 links South of Post.

Land rolling & 2nd rate Timber. Ash & BuckUndergth. Spice & Buck Ash

West Corrected between Sec. 9 & 10

40. 25 Set a q. Sec. post at aver. dist from which

an Elm 6 in. diam. bears N 38 E 16 links dist &

a Butternut 12 in. diam. bears S 38 W 15 " "

80. 50 To Sec. Corner

North Between Sec. 8 & 9

11. 00 A Creek 30 links wide. Course East

16. 20 An Elm 12 in. diam.

40. 00 Set a q. Sec. post from which

an Ironwood 6 in. diam. bears North 23 links dist &

a Co. 4 " " " S 2 E 13 " "

T 29 N. R 9 E. 2nd Mer. Indiana. 25

52. 00 An Elm 14 in. diam.
 60. 00 To Swamp
 70. 00 Left the same
 80. 00 Set a Post cor. to Sec. 4, 5, 8, & 9 from which
 a Beech 18 in. diam. bears N. 75 E. 30 links dist. &
 a Spruce 5 " " " S. 72 W. 7 " "
 Land level 2nd rate Timber Beech Ash & Elm.
 Undergrowth: Spice & Ash

East On Random between Sec. 4 & 9
 2. 00 To Swamp
 4. 50 Left same
 53. 00 A Creek 15 links wide. Course South
 60. 79 Intersect the N & S line 14 links South of the Post
 Land level 2nd rate Timber Ash Beech Sugar.
 Undergrowth: Ash & Spice.

West Connected between Sec. 4 & 9
 40. 39 Set a gr. Sec. post as a cor. dist. from which
 a Beech 6 in. diam. bears N. 13 W. — links dist. &
 a Spruce 4. " " " S. 31. W. 12 " "
 80 79 To Sec. Corner

North Between Sec. 4 & 5
 15. 00 To Swamp
 30. 00 Left same
 39. 00 A B. Oak 20 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Beech 12 in. diam. bears N. 60 W. 4 links dist. &
 a Sugar 12 " " " S. 11 E. 29 " "
 55. 00 To Miller Swamp
 63. 00 Left Do
 A Swamp Ash
 77. 45 Intersect the North Boundary Sec. 4 & 5 52 links
 West of the Post. Set a Post cor. to Sec. 4 & 5
 from which

T 29 N. R. 9 E. 3rd Mer. Indica.

a Beech 20 in. diam. bears North 32 links dist &
 a Do 6 " " " S 37 E 17 " "
 Sand level 2nd rate. Timber Beech Sugar.
 Ash & Undergth. Spice. Ash. & Willow
 Apr. 30th 1828

North Between Sec. 31 & 32

20 30 A Beech 15 in. diam.
 27. 75 A Stream 12 links wide. Course E.
 40. 00 Set a q. Sec. post. from which
 an Ash 12 in. diam. bears N 75 W 18 links dist &
 an Elm 15 " " " S 89 E 18. " "
 50. 85 A Beech 15 " "
 80. 00 Set a Post cor. to Sec. 29. 30. 31 & 32 from which
 a Beech 10 in. diam. bears N 88 W 3 links dist &
 a Do 15 " " " S 83 E 26 " "
 Land rolling 2nd rate. Timber. Beech. Ash Sugar.
 Undergth. Spice.

East On Random between Sec. 29 & 32

40 00 Set a Vmper q. Sec post
 58. 75 A Creek 35 links wide. Course South.
 68. 00 A Stream 10 links wide. Course N. W.
 79. 36 Intersect the N & S line 18 links South of Post
 Land Rolling. Soil 2nd rate. Timber. Beech &
 Elm. Undergth. Spice.

West Corrected between Sec. 29 & 32

39. 68 Set a q. Sec post at area. dist from which
 a Swamp Ash 24 in. diam. bears S 26 W 12 links dist &
 a Beech 15 in. " " N 41 E 21 " "
 79. 36 To Sec. corner.

West Between Sec. 30 & 31

12. 80 A Beech 18 in. diam.
 40. 00 Set a q. Sec post. from which

27

T 29 N R 9 E 2nd Mer. Indiana

a Hickory 15 in. diam. bears S 62 W 6 links dist. &
 a Swamp Ash 20 " " " N 72 E 19 " "
 47. 00 A Beech 12 " "
 58. 00 A Stream 7 links wide. Course South
 73. 24 Intersect the West Boundary 3 ch. 487 links N.
 of the Post. Set a Post cor. to Sec. 30 & 31 from which
 a Beech 20 in. diam. bears S 11 E 33 links dist. &
 a Sugar 20 " " " N. 68 W 39 " "
 Land level 2nd rate. Timber. Ash. Beech Sugar.
 Undergth. Ironwood.

North Between Sec. 29 & 30
 8. 14 A Beech 12 in. diam.
 40. 00 Set a q. the post from which
 a Sugar 4 in. diam. bears N 43 W 24 links dist. &
 a B. Walnut 6 in. " " S 61 E 9 " "
 54. 00 An Elm 10 " "
 80. 00 Set a Post cor. to Sec. 19. 20. 29 & 30 from which
 a Cherry 4 in. diam. bears S 22 W 6 links dist. &
 an Ironwood 6 " " " N. 11 E 7 " "
 Land level 2nd rate. Timber. Beech Sugar.
 Ironwood. Lyrus. &c.
 May 1st 1828.

East On Randem between Sec. 20 & 29.
 23. 75 A Stream 7 links wide Course South
 40. 00 Set a Temp. q. the post.
 76. 50 A Creek 40 links wide. Course South
 79. 50 Intersect the S & S line 19 links North of the Post
 Land rolling 2nd rate. Timber. Beech & Oak.
 Undergth. Spice & Ash.

West Corrected between Sec. 20 & 29
 39. 75 Set a q. the post or aver. dist. from which
 a Beech 10 in. diam. bears S 42 W 11 links dist. &
 a Sugar 24 " " " N. 35 E 19 " "

T 29 N. R 9 E 2nd Mer. Indiana.

79.50 To Sec. Corner.

West Between Sec. 19 & 30.

11. 00 A Beech 24 in. diam.

40. 00 Set a q. Sec. post from which
a Beech 12 in. diam. bears S 7 E 7 links dist. &
a Do 12 " " " N 65 E 12 " "

63. 00 A Buckeye 12 " "

73. 25 Intersect the West Boundary 4 chs. & 83 links North
of the Post. Set a post cor. to Sec. 19 & 30 from which
a Sycamore 30 in. diam. bears N 76 W 32 links dist. &
a Hickory 12 " " " N 37 E 7 " "
Land level 3rd rate. Timber. Hickory. Elm.
Greenwood Undergth Spice P. Ash.

North Between Sec. 19 & 20.

6. 00 A Stream 6 links wide. Course E.

15 15 A Beech 20 in. diam.

40. 00 Set a q. Sec. post from which
a Beech 18 in. diam. bears N 35 W 6 links dist. &
a Do 18 " " " S 33 E 37 " "

48. 00 To Swamp

57. 00 Left same

59. 15 A Beech 15 in. diam.

80 00 Set a Post cor. to Sec. 17. 18. 19 & 20 from which
a Beech 12 in. diam. bears S 10 E 77 links dist. &
a Hickory 15 " " " N 6 E 8 " "
Land level 2nd rate. Timber. Hickory. Beech.
Elm & Undergth Spice. Greenwood. Ash. &c.

West Between Sec. 18 & 19

23 75 An Elm 15 in. diam.

40 00 Set a q. Sec. post from which
a W. Oak 10 in. diam. bears East 38 links dist. &
a Buckeye 10 " " " N 78 W 20 " "

57 50 To Swamp.

29

Tog. St. R. G. E. 2nd Mer. Indiana.

53.00 Prevented from proceeding farther by water. Willows
 &c. The corner is probably in the swamp

East On Random between Sec. 17 & 20
 40.00 Set a Temp. of Sec. post
 55.00 Met Prairie
 64.00 Left the same.
 79.64 Intersect the N & S line 35 links South of the Post.
 Land rolling 2nd rate. Timber. Beech. Sugar.
 Elm. &c. Undergth. Hard. Ash.

West Connected between Sec. 17 & 20
 39.82 Set a g. Sec. post at aver dist from which
 a Hickory 12 in. diam. bears S 11 E 12 lks. dist &
 a Beech 15 " " " N 22 W 25 " "
 79.64 To the corner

North Between Sec. 17 & 18
 27.00 A W. Oak 12 in. diam.
 40.00 Set a g. Sec. post from which
 an Elm 18 in. diam. bears N 72 W 16 links dist &
 a C 20 " " " S 72 W 9 " "
 64.00 An Ash 18 " "
 65.00 Set a Post cor. to Sec. 7. 8. 17 & 18 from which
 a Beech 10 in. diam. bears S. 70 E. 22 links dist &
 a Buckeye 12 " " " N. 20 W. 6 " "
 Land level & 2nd rate. Timber. Beech. Spr. Ash.
 Undergth. P. Ash.

East On Random between Sec. 8 & 17
 40.00 Set a Temp. of Sec. post
 79.79 Intersect the N & S line 70 links South of the Post.
 Land level 2nd rate. Timber. Beech. Ash. Elm.
 Undergth. Ash. Water Beech

West Connected between Sec. 8 & 17

T 9 N. R 9 E 2nd Mer. Indiana

39. 89 Set a q. Sec post at a var. dists from which
 a Birch 12 in. diam. bears N 45 E 27 links dists &
 a Do 10 " " " S 1 W 22 " "
79. 79 To Sec. corner.

- West Between Secs 7 & 18
40. 00 Set a q. Sec post from which
 an Elm 12 in. diam. bears N 68 E 10 links dists &
 a Do 15 " " " S 70 W 22 " "
47. 00 A Stream 10 links wide. Course S. E.
52. 00 An Elm 30 in. diam.
72. 00 Intersect the West Boundary 3 ch. & 59 links
 North of the Post. Set a Post cor. to Sec. 7 & 18
 from which
 a W. Oak 7 in. diam. bears N. 69 E. 19 links dists &
 an Elm 12 " " " S. 8 W. 23 " "
 Land level. soil 2nd rate. Timber. Beech.
 Elm. & S. Ash. Undergth P. Ash.
 May 2nd 1828

- North Between Secs 8 & 7
11. 00 An Elm 20 in. diam.
16. 50 A Brook 15 links wide. Course E.
40. 00 Set a q. Sec post from which
 a Swamp Ash 12 in. diam. bears S. 31 W. 12 links dists &
 an Elm 15 " " " S. 40 E 38 " "
57. 00 A Lynn 30 " "
71. 00 To Mt Prairie
74. 00 Left Do.
80. 00 Set a Post cor. to Secs 5. 6. 7. & 8 from which
 an Elm 6 in. diam. bears S. 27 E. 12 links dists &
 a Do 5 " " " S 27 W. 14 " "
 Land level. 2nd rate. Timber. Ash. Beech. Elm.
 Lynn. Undergth Spice & Ash

East On Random between Secs 5 & 8

31

T 29 N. R 9 E. 2nd Mer. Indiana.

15 75 Enter met Prairie
 34. 00 Left same
 40. 00 Set a Temp^d q. Sec. post
 79. 37 Intersect the N & S line 1. chain & 32 links South
 of the Post.

Land level 2nd rate. Timber. Beech. Poplar.
 Elm. Aspen. & Undergth Spruce. Hem. Willow &

West Corrected between Sec. 5 & 8
 39. 68 Set a Post for q. Section at aver. dist from which
 an Elm 20 in. diam. bears S 25 E 40 links dist &
 a W. Oak 12 " " " N 75 W 32 " "
 79 37 To the corner.

West Between Sec. 6 & 7.
 35. 20 A Beech 18 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 5 in. diam. bears East 23 links dist &
 a Q 15 " " " S 54 W 20 " "
 52. 10 An Elm 12 " "
 72. 20 Intersect the West Boundary 4 chains & 12 links
 North of the Post. Set a Post cor. to Sec. 6 & 7
 from which
 a Beech 18 in. diam. bears N 65 W 29 links dist &
 a Q 10 " " " S 76 E 31 " "
 Land level 2nd rate. Timber. S. Ash. Beech.
 Elm. Lyrn. Undergth Ironwood. Elm. & Willow.

North Between Sec. 5 & 6
 16. 50 A Lyrn 18 in. diam.
 23. 50 To Swamp
 30. 00 Left same
 40. 00 Set a q. Sec. post from which
 a Sugar 20 in. diam. bears N 75 E 6 links dist &
 a Q 24 " " " S 88 W 18 " "
 40. 25 A Beech 18 " "

T 29 N. R 9 E Ind. Mer. Indiana

77 50 Intersect the North Boundary in the centre of
a Pond 2 chains in diam. Rang. 5 ch. & 30 links
West of the Post. Set a Post cor. to Sec. 5 & 6
from which

a Swamp Ash 20 in. diam. bears North 1 chain
Land level 2nd rate. Timber S. Ash. Elm,
Beech. W. Oak. Undergrowth S. Ash. Ironwood &c

May 3rd 1828.

Surveyed by
B. Bently D. S.

Chmpd

T 29 N. R 9 E 2nd Mer Indiana 33

In pursuance of a contract, with, and instructions from Edward Chiffin Surveyor General of the United States, for the States of Ohio Indiana and Michigan. And conformably to the Laws of the United States. I have surveyed and subdivided into Sec. Township No 29 North of Range No 9 East of the 2nd Mer. in the State of Indiana T^h Wayne district. And I certify that the foregoing, are the correct field notes of the survey of said Township.

Certified this 25th day of June 1828

B. Bently

Dep Surveyor

I certify that the foregoing transcripts of the field notes of Township No 29 North of Range No 9 East of the 2nd Mer. in the T^h Wayne district, in the State of Indiana has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office }
Cincinnati, April 25. 1845.

William Johnston
Sur. Genl.